

## Canine Surgical Record

Dog#		

Prevent Homeless Pets Phone 509-497-1133

Please fill out one form per dog.

1 11011	10 000 101	1100		Ticase IIII out one	romi per dog.		
			al Waiver Signed by: ent   Owner/caretaker	Please give this dog (check all that apply):			
Today's contact (agent) Phone				<ul><li>□ DA2Pv Vaccine (1</li><li>□ Rabies Vaccine (1</li><li>□ Microchip</li></ul>	· ·		
Name of Owner/caretaker, if different Phone		hone					
					Health Status		
Owner's Street Address	3				Appetite last 72 hrs:		
					None Fed Breakfast:		
City State Zip co			Zip code	Health History: (check all seen within last week)  Coughing Diarrhea Low energy  List any treatment in last mo.  Chronic health problems: (check all you suspect your pet has)			
Sex: Age □Not sure Dog's Name:			g's Name:				
	□M	o.		□Diabetes □ Heart			
□ Female □Male						omments/Health Concerns:	
Breed:		Dog is	s:				
Color		□Tan	ne □l	Untouchable □ Not sure			
Clinic Use C	Only						
Sex:				Females		Observed in clinic:	
$\Box$ Female $\Box$ Male	Weight	:		Performed OHE via m	· ·	Fleas Tapeworms	
Pr	en			Pedicles- PDS			
Prep			UterusPDS/ PGCL/Catgut		Ear Discharge		
ml Hm (2mg/ml) IM			ClosurePDS/ PGCL simple				
1 A aa (5ma	/ml) IM			interrupted/ continuous/ Cruciate linea and		Diarrhea	
ml Ace (5mg/	/IIII) IIVI			intradermal skin closure.			
1 IZ (100	~/***1) IV			☐ Males		Eye discharge	
ml K (100mg	g/IIII) IV			Performed closed neut			
1.14 (5 / 1) 197			pre-scrotal/scrotal midline incision TesticlesPDS/Catgut PGCL/self		Nasal discharge		
ml Mz (5mg/ml) IV			ClosurePDS/PGCL/Vetbond				
			simple interrupted/continuous/Cruciate		Additional Notes:		
Isoflurane Mask Tube ND			SQ and intradermal skin closure.				
□Bupivacaine (0.5%) □Lidocaine 2%		0/0	_				
	. ^		/0	Dog was:			
□ Pen G ml		·K		□ Normal □ Previously altered			
□ Meloxicam (5 mg		m1 S(	$\circ$	$\Box$ Crypt 1 $\Box$ Crypt 2			
Microchip: □ None			Ų	☐ In heat ☐ Post partum			
-				□ Fatty □ Friable			
□#: <u> </u>				□ Pregnant: # Feti		- (1st 12 10 1	
<b>D</b>				□ Early □ Middle □		<u>Recovery</u> : (1 <sup>st</sup> 12-18 hrs.)	
<b>Recovery</b> (check when complete)		e)			Keep warm (70 – 75 degrees)		
□ Time			Additional Procedures:		Light meal and water when alert		
□ Temp: 1)3)				Quiet activity.			
□ Sugar Syrup PO						Females-check incision for 2 wks.	
□ Fluidsml LRS SQ				Meds: None			
□ DA2Pv Vac. □ NR					□Meloxicam 7.5mg tab		
□ Rabies Vac. □ NR				tablet(s) once daily for 3 days.			
						□Meloxicam oral 1.5mg/ml	
						(1 syringe) once daily for 3	
Surgeon's initials						days	